

# A Note on IC-Planar Graphs

Christian Bachmaier, Franz J. Brandenburg, and Kathrin Hanauer

University of Passau, 94030 Passau, Germany  
{bachmaier|brandenb|hanauer}@fim.uni-passau.de

**Abstract.** A graph is IC-planar if it admits a drawing in the plane with at most one crossing per edge and such that two pairs of crossing edges share no common end vertex. IC-planarity specializes both NIC-planarity, which allows a pair of crossing edges to share at most one vertex, and 1-planarity, where each edge may be crossed at most once.

We show that there are infinitely maximal IC-planar graphs with  $n$  vertices and  $3n - 5$  edges and thereby prove a tight lower bound on the density of this class of graphs.

## 1 Introduction

A graph  $G$  is *maximal* in a graph class  $\mathcal{G}$  if no edge can be added to  $G$  without violating the defining class. The *density* (*sparsity*) of  $\mathcal{G}$  is an upper (lower) bound on the number of edges of maximal graphs  $G \in \mathcal{G}$  with  $n$  vertices. A maximal graph  $G$  is *densest* (*sparsest*) in  $\mathcal{G}$  if its number of edges meets the upper (lower) bound.

It is well-known that every maximal planar graph is triangulated and has  $3n - 6$  edges. The densest and sparsest planar graphs coincide. This does not longer hold for 1-planar graphs, which are graphs that can be drawn with at most one crossing per edge. These graphs have recently received much interest [13]. 1-planar graphs with  $n$  vertices have at most  $4n - 8$  edges, and this bound is tight for  $n = 8$  and all  $n \geq 10$  [5, 7]. However, there are sparse maximal 1-planar graphs with less than  $2.65n$  edges [10]. The best known lower bound on the sparsity of 1-planar graphs is  $2.22n$  [5] and neither the upper nor the lower bound are known to be tight.

There are some subclasses of 1-planar graphs with different bounds for the density and sparsity. A graph is *IC-planar* (independent crossing planar) [1, 8, 14, 15] if it admits a drawing with at most one crossing per edge so that each vertex is incident to at most one crossing edge, and *NIC-planar* (near independent crossing planar) if two pairs of crossing edges share at most one vertex [15]. IC-planar graphs have an upper bound of  $3.25n - 6$  on the number of edges, which is known as a tight bound, since there are such graphs for all  $n = 4k$  and  $k \geq 2$  [15]. The lower bound has not been addressed yet. The upper and lower bounds on the density of NIC-planar graphs are  $\frac{18}{5}(n-2)$  [15] and  $\frac{16}{5}(n-2)$  [3, 11] and both bounds are known to be tight for infinitely many values of  $n$ . Outer 1-planar graphs are another subclass of 1-planar graphs. They must admit a

Table 1: The density of maximal graphs on  $n$  vertices.

	1-planar	NIC-planar	IC-planar	outer 1-planar
upper bound	$4n - 8$ [5, 6]	$\frac{18}{5}(n - 2)$ [3, 16]	$\frac{13}{4}n - 6$ [14]	$\frac{5}{2}n - 2$ [2]
└ example	$4n - 8$ [5, 6]	$\frac{18}{5}(n - 2)$ [3, 11]	$\frac{13}{4}n - 6$ [15]	$\frac{5}{2}n - 2$ [2]
lower bound	$\frac{20}{9}n - \frac{10}{3}$ [4]	$\frac{16}{5}(n - 2)$ [3]	$3n - 5$ [Sect. 2]	$\frac{11}{5}n - \frac{18}{5}$ [2]
└ example	$\frac{45}{17}n - \frac{84}{17}$ [9]	$\frac{16}{5}(n - 2)$ [3]	$3n - 5$ [Sect. 2]	$\frac{11}{5}n - \frac{18}{5}$ [2]

1-planar embedding such that all vertices are in the outer face [2, 12]. Results on the density of maximal graphs are summarized in Table 1.

Here, we establish a lower bound of  $3n - 5$  on the density of IC-planar graphs and show that it is tight for all  $n \geq 5$ .

## 2 Density

We first prove the existence of maximal IC-planar graphs that have  $n$  vertices and only  $3n - 5$  edges:

**Lemma 1.** *For every  $n \geq 5$  there is a maximal IC-planar graph with  $n$  vertices and  $3n - 5$  edges.*

*Proof.* As  $K_5$  has exactly  $3n - 5 = 10$  edges and is IC-planar, the statement trivially follows for  $n = 5$ . Let us hence assume in the following that  $n \geq 6$ . We construct a graph  $G_n$  with  $n$  vertices and  $3n - 5$  edges as follows:  $G_n$  consists of  $n - 2$  vertices forming a circle  $C = (v_0, v_1, \dots, v_{n-3})$  as well as two pole vertices  $p$  and  $q$ . For every  $0 \leq i < n - 2$ ,  $G_n$  has edges  $\{v_i, p\}$  and  $\{v_j, q\}$ . Additionally, there is an edge  $\{p, q\}$  connecting the poles. As an example, Fig. 1a depicts the graph  $G_8$ . Then, every vertex  $v_i$ ,  $0 \leq i < n - 2$ , is incident to exactly two circle edges as well as to both  $p$  and  $q$ , and  $p$  and  $q$  are each incident to  $n - 1$  edges. Hence,  $G_n$  has  $\frac{1}{2}(4(n - 2) + 2(n - 1)) = 3n - 5$  edges. As every planar graph has at most  $3n - 6$  edges, every embedding must contain at least one pair of crossing edges. Let  $\mathcal{E}(G_n)$  be any IC-planar embedding of  $G_n$ . We will now show that  $\{p, q\}$  must be crossed in  $\mathcal{E}(G_n)$  and that  $\mathcal{E}(G_n)$  is unique up to isomorphism.

Suppose that an edge  $\{v_i, v_{i+1}\}$  crosses an edge  $\{v_j, v_{j+1}\}$  in  $\mathcal{E}(G_n)$  (see Fig. 1b). Due to IC-planarity,  $\{v_i, p\}$ ,  $\{v_{i+1}, p\}$ ,  $\{v_j, q\}$ , and  $\{v_{j+1}, q\}$  must be planar. In consequence of the crossing,  $v_j$  and  $v_{j+1}$  lie on different sides of the closed path  $P$  consisting of  $\{v_i, p\}$ ,  $\{v_i, v_{i+1}\}$ , and  $\{v_{i+1}, p\}$ . Hence, either  $\{v_j, q\}$  or  $\{v_{j+1}, q\}$  must cross an edge of  $P$ , a contradiction. Thus, every crossing in  $\mathcal{E}(G_n)$  must involve at least one of  $p$  or  $q$ .

Suppose that an edge  $\{v_i, p\}$  crosses an edge  $\{v_j, v_{j+1}\}$  in  $\mathcal{E}(G_n)$  (see Fig. 1c). By IC-planarity,  $\{v_j, q\}$  and  $\{v_{j+1}, q\}$  must be planar. As  $n \geq 6$ , there must be a vertex  $v_{i'}$  adjacent to  $v_i$ . Furthermore,  $\{v_{i'}, v_i\}$  and  $\{v_{i'}, p\}$  must be planar due to IC-planarity. In consequence of the crossing,  $p$  and  $v_i$  however lie on different sides of the closed path  $P$  consisting of  $\{v_j, q\}$ ,  $\{v_j, v_{j+1}\}$ , and  $\{v_{j+1}, q\}$ , so either




Fig. 1: Proof of Lemma 1: The graph  $G_n$  for  $n = 8$  (a) along with sketches of the cases where an edge  $\{v_i, v_{i+1}\}$  crosses an edge  $\{v_j, v_{j+1}\}$  (b),  $\{v_i, p\}$  crosses an edge  $\{v_j, v_{j+1}\}$  (c), and  $\{v_i, p\}$  crosses an edge  $\{v_j, q\}$  (d), which all yield non-IC-planar embeddings of  $G_n$ .

$\{v_{i'}, v_i\}$  or  $\{v_{i'}, p\}$  must cross an edge of  $P$ , a contradiction. Thus, every crossing in  $\mathcal{E}(G_n)$  must involve both  $p$  and  $q$ .

Finally, suppose that an edge  $\{v_i, p\}$  crosses an edge  $\{v_j, q\}$  in  $\mathcal{E}(G_n)$  (see Fig. 1d). As  $n \geq 6$ , there must be two further vertices  $v_{i'} \neq v_{j'}$  such that  $v_{i'}$  is adjacent to  $v_i$  and  $v_{j'}$  is adjacent to  $v_j$ . Furthermore,  $\{v_i, v_{i'}\}, \{v_j, v_{j'}\}, \{v_{i'}, p\}$ , and  $\{v_{j'}, q\}$  must be planar due to IC-planarity. In result of the crossing,  $v_j$  and  $q$  lie on different sides of the closed path  $P$  consisting of  $\{v_i, p\}, \{v_i, v_{i'}\}$ , and  $\{v_{i'}, p\}$ . Thus, one of  $\{v_j, v_{j'}\}$  and  $\{v_{j'}, q\}$  must cross  $P$ , a contradiction.

Consequently, every crossing in  $\mathcal{E}(G_n)$  must contain  $\{p, q\}$ , which in turn can only cross an edge  $\{v_i, v_{i+1}\}$  for some  $i$  with  $0 \leq i < n - 3$  or  $\{v_{n-3}, v_0\}$ , as depicted, e.g., in Fig. 1a. As no edge can be added to  $G_n$  and  $\mathcal{E}(G_n)$  such that IC-planarity is preserved,  $G_n$  is maximal.  $\square$

Note that the embedding of the graphs  $G_n$  from the proof of Lemma 1 is unique up to isomorphism, because  $\{p, q\}$  must cross an arbitrary edge  $\{v_i, v_{i+1}\}$ . Concerning the upper bound, observe that every maximal IC-planar graph with  $n \geq 5$  vertices also has at least  $3n - 5$  edges, as there always is at least one pair of crossing edges, i.e., it cannot be planar.

**Theorem 1.** *For all  $n \geq 5$ , maximal IC-planar graphs with  $n$  vertices have at least  $3n - 5$  edges, and this bound is tight.*

## References

1. Albertson, M.O.: Chromatic number, independence ratio, and crossing number. *Ars Math. Contemp.* 1(1), 1–6 (2008)
2. Auer, C., Bachmaier, C., Brandenburg, F.J., Gleißner, A., Hanauer, K., Neuwirth, D., Reislhuber, J.: Outer 1-planar graphs. *Algorithmica* 74(4), 1293–1320 (2016)
3. Bachmaier, C., Brandenburg, F.J., Hanauer, K., Neuwirth, D., Reislhuber, J.: NIC-planar graphs. Tech. Rep. arXiv:1701.04375 [cs.DM], Computing Research Repository (CoRR) (July 2017)
4. Barát, J., Tóth, G.: Improvements on the density of maximal 1-planar graphs. Tech. Rep. arXiv:1509.05548 [math.CO], Computing Research Repository (CoRR) (September 2015)
5. Bodendiek, R., Schumacher, H., Wagner, K.: Bemerkungen zu einem Sechsfarbenproblem von G. Ringel. *Abh. aus dem Math. Seminar der Univ. Hamburg* 53, 41–52 (1983)
6. Bodendiek, R., Schumacher, H., Wagner, K.: Über 1-optimale Graphen. *Mathematische Nachrichten* 117, 323–339 (1984)
7. Brandenburg, F.J.: On 4-map graphs and 1-planar graphs and their recognition problem. Tech. Rep. arXiv:1509.03447 [cs.CG], Computing Research Repository (CoRR) (January 2015)
8. Brandenburg, F.J., Didimo, W., Evans, W.S., Kindermann, P., Liotta, G., Montecchiani, F.: Recognizing and drawing IC-planar graphs. *Theor. Comput. Sci.* 636, 1–16 (2016)
9. Brandenburg, F.J., Eppstein, D., Gleißner, A., Goodrich, M.T., Hanauer, K., Reislhuber, J.: On the density of maximal 1-planar graphs. In: van Kreveld, M., Speckmann, B. (eds.) *GD 2012*. LNCS, vol. 7704, pp. 327–338. Springer (2013)
10. Cabello, S., Mohar, B.: Adding one edge to planar graphs makes crossing number and 1-planarity hard. *SIAM J. Comput.* 42(5), 1803–1829 (2013)
11. Czap, J., Šugarek, P.: Three classes of 1-planar graphs. Tech. Rep. arXiv:1404.1222 [math.CO], Computing Research Repository (CoRR) (2014)
12. Hong, S., Eades, P., Katoh, N., Liotta, G., Schweitzer, P., Suzuki, Y.: A linear-time algorithm for testing outer-1-planarity. *Algorithmica* 72(4), 1033–1054 (2015)
13. Kobourov, S.G., Liotta, G., Montecchiani, F.: An annotated bibliography on 1-planarity. *Comput. Sci. Rev.* (July 2017), doi:10.1016/j.cosrev.2017.06.002
14. Král, D., Stacho, L.: Coloring plane graphs with independent crossings. *J. Graph Theor.* 64(3), 184–205 (2010)
15. Zhang, X., Liu, G.: The structure of plane graphs with independent crossings and its application to coloring problems. *Central Europ. J. Math* 11(2), 308–321 (2013)
16. Zhang, X.: Drawing complete multipartite graphs on the plane with restrictions on crossings. *Acta Math. Sinica, English Series* 30(12), 2045–2053 (2014)